

Model
Main features
Speed B&W / color
Control panel
Document processor
Dual Scan
Max paper size
Warming
Number of total sheets Std
Number of total sheets Max
Number of sheet Bypass
Number of cassettes Std / Max
Grammage max bypass
Grammage max cassette
Grammage max dual scan
Hard drive
Hard drive capacity
Wifi
Controle Fiery
Print
Print resolution
copy
Memory Std / Max
Exit time 1st copy B&W / Color
Scan
Scan speed (A4/min)
PDF Compression
Scan to E-mail
Scan to SMB
Scan to FTP
Scan to HDD
Scan to USB
Fax
Finishion
Internal finisher : reception capacity / number of stapled sheets / staplings points
External finisher : reception capacity / number of stapled sheets / staplings points
Booklet finisher : eception capacity / number of stapled sheets / staplings points / Booklet mode number of sheet
Perforation
Mail box
Inserteur

TA_Color_2506ci
25 / 25 ppm
Color touch screen 9"
Opt RADF 50 f. Opt RADF 140 f. Opt DSPF 270 f.
Std
SRA3
18,0 sec.
1150 f.
7150 f.
150 f.
3 / 6
300 g/m ²
300 g/m ²
256 g/m ²
Opt (SSD 32Go Std)
320 Go
Opt
No
Std PCL / PS / XPS
1200 x 1200
4 / 4 Go
6,4 / 8,5 sec
160 ipm max B&W and color
Std
Std
Std
Std
Std
Std
Opt
Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2
Opt 4000 / 65 / 2 / 16 f.
Opt 2 / 4
Opt 7 x 100
Non

Special folds
Hunting trimmer
Plockmatic
Power consumption
TEC Value (kWh/week)
Max electricity consumption
Consumption in operation
Consumption on stand-by
Stanby power consumption
Noise
Noise emission during operation
Emitting noise in standby

Opt Pli en C
Non
Non
1,41 kWh
1750 W
500 W
40 W
0,9 W
48,3 dB
30,1 dB

new

TA_Color_2507ci
25 / 25 ppm
Color touche screen 10,1"
Opt RADF 50 f. Opt RADF 140 f. Opt DSPF 270 f. Opt DSPFUS 270 f.
Std
SRA3
18,0 sec.
1150 f.
7150 f.
150 f.
3 / 6
300 g/m ²
300 g/m ²
256 g/m ²
Opt (SSD 32Go Std) 320 Go
Opt
No
Std PCL / PS / XPS
1200 x 1200
4 / 4 Go
6,4 / 8,5 sec
180 ipm max B&W and color
Std
Std
Std
Std
Std
Std
Opt
Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2
Opt 4000 / 65 / 2 / 16 f.
Opt 2 / 4
Opt 7 x 100
Non

new

TA_Color_3206ci	TA_Color_3207ci
32 / 32 ppm	32 / 32 ppm
Color touch screen 9"	Color touche screen 10,1"
Opt RADF 50 f. Opt RADF 140 f. Opt DSPF 270 f.	Opt RADF 50 f. Opt RADF 140 f. Opt DSPF 270 f. Opt DSPFUS 270 f.
Std	Std
SRA3	SRA3
18,0 sec.	18,0 sec.
1150 f.	1150 f.
7150 f.	7150 f.
150 f.	150 f.
3 / 6	3 / 6
300 g/m ²	300 g/m ²
300 g/m ²	300 g/m ²
256 g/m ²	256 g/m ²
Opt (SSD 32Go Std) 320 Go	Opt (SSD 32Go Std) 320 Go
Opt	Opt
Opt	Opt
Std PCL / PS / XPS	Std PCL / PS / XPS
1200 x 1200	1200 x 1200
4 / 4 Go	4 / 4 Go
5,3 / 7 sec	5,3 / 7 sec
160 ipm max B&W and color	180 ipm max B&W and color
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Opt	Opt
Opt 500 / 50 / 2	Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2	Opt 1000 / 50 / 2 Opt 4000 / 65 / 2
Opt 4000 / 65 / 2 / 16 f.	Opt 4000 / 65 / 2 / 16 f.
Opt 2 / 4	Opt 2 / 4
Opt 7 x 100	Opt 7 x 100
Non	Non

Opt Pli en C
Non
Non
1,06 kWh
1750 W
510 W
50 W
0,7 W
no information
no information

Opt Pli en C	Opt Pli en C
Non	Non
Non	Non
1,53 kWh	1,46 kWh
1750 W	1750 W
600 W	580 W
40 W	50 W
0,9 W	0,7 W
49,3 dB	no information
29,8 dB	no information



TA_Color_4006ci	TA_Color_4007ci
40 / 40 ppm	40 / 40 ppm
Color touch screen 9"	Color touche screen 10,1"
Opt RADF 140 f. Opt DSPF 270 f.	Opt RADF 140 f. Opt DSPF 270 f. Opt DSPFUS 270 f.
Std	Std
SRA3	SRA3
17,0 sec.	17,0 sec.
1150 f.	1150 f.
7150 f.	7150 f.
150 f.	150 f.
3 / 6	3 / 6
300 g/m ²	300 g/m ²
300 g/m ²	300 g/m ²
256 g/m ²	256 g/m ²
Std	Std
320 Go	320 Go HDD + 8 Go SSD
Opt	Opt
Opt	Opt
Std PCL / PS / XPS	Std PCL / PS / XPS
1200 x 1200	1200 x 1200
4 / 4 Go	4 / 4 Go
4,5 / 5,9 sec	4,5 / 5,9 sec
180 ipm max B&W and color	220 i ipm max B&W and color
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Opt	Opt
Opt 500 / 50 / 2	Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2	Opt 1000 / 50 / 2 Opt 4000 / 65 / 2 Opt 4000 / 100 / 2
Opt 4000 / 65 / 2 / 16 f.	Opt 4000 / 65 / 2 / 16 f. Opt 4000 / 100 / 2 / 20 f.
Opt 2 / 4	Opt 2 / 4
Opt 7 x 100	Opt 7 x 100
Non	Non

Opt Pli en C	Opt Pli en C
Non	Non
Non	Non
1,95 kWh	1,90 kWh
1750 W	1750 W
730 W	770 W
60 W	60 W
1 W	0,7 W
51,8 dB	no information
33 dB	no information



TA_Color_5006ci	TA_Color_5007ci
50 / 50 ppm	50 / 50 ppm
Color touch screen 9"	Color touche screen 10,1"
Opt RADF 140 f. Opt DSPF 270 f.	Opt RADF 140 f. Opt DSPF 270 f. Opt DSPFUS 270 f.
Std	Std
SRA3	SRA3
17,0 sec.	17,0 sec.
1150 f.	1150 f.
7150 f.	7150 f.
150 f.	150 f.
3 / 6	3 / 6
300 g/m ²	300 g/m ²
300 g/m ²	300 g/m ²
256 g/m ²	256 g/m ²
Std	Std
320 Go	320 Go HDD + 8 Go SSD
Opt	Opt
Opt	Opt
Std PCL / PS / XPS	Std PCL / PS / XPS
1200 x 1200	1200 x 1200
4 / 4 Go	4 / 4 Go
3,7 / 4,8 sec	3,7 / 4,8 sec
180 ipm max B&W and color	220 ipm max B&W and color
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Std	Std
Opt	Opt
Opt 500 / 50 / 2	Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2	Opt 1000 / 50 / 2 Opt 4000 / 65 / 2 Opt 4000 / 100 / 2
Opt 4000 / 65 / 2 / 16 f.	Opt 4000 / 65 / 2 / 16 f. Opt 4000 / 100 / 2 / 20 f.
Opt 2 / 4	Opt 2 / 4
Opt 7 x 100	Opt 7 x 100
Non	Non

TA_Color_6006ci
60 / 55 ppm
Color touch screen 9"
Opt RADF 140 f. Opt DSPF 270 f.
Std
SRA3
17,0 sec.
1150 f.
7150 f.
150 f.
3 / 6
300 g/m ²
300 g/m ²
256 g/m ²
Std
320 Go
Opt
Opt
Std PCL / PS / XPS
1200 x 1200
4 / 4 Go
3,4 / 4,4 sec
180 ipm max B&W and color
Std
Std
Std
Std
Std
Std
Std
Opt
Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2
Opt 4000 / 65 / 2 / 16 f.
Opt 2 / 4
Opt 7 x 100
Non

Opt Pli en C	Opt Pli en C
Non	Non
Non	Non
2,49 kWh	2,46 kWh
1750 W	1750 W
860 W	900 W
60 W	60 W
1 W	0,7 W
53,9 dB	no information
33 dB	no information

Opt Pli en C
Non
Non
3,14 kWh
1750 W
960 W
60 W
1 W
54,9 dB
33,7 dB



TA_Color_6007ci
60 / 55 ppm
Color touche screen 10,1"
Opt RADF 140 f. Opt DSPF 270 f. Opt DSPFUS 270 f.
Std
SRA3
17,0 sec.
1150 f.
7150 f.
150 f.
3 / 6
300 g/m ²
300 g/m ²
256 g/m ²
Std
320 Go HDD + 8 Go SSD
Opt
Opt
Std PCL / PS / XPS
1200 x 1200
4 / 4 Go
3,4 / 4,4 sec
220 ipm max B&W and color
Std
Std
Std
Std
Std
Std
Opt
Opt 500 / 50 / 2
Opt 1000 / 50 / 2 Opt 4000 / 65 / 2 Opt 4000 / 100 / 2
Opt 4000 / 65 / 2 / 16 f. Opt 4000 / 100 / 2 / 20 f.
Opt 2 / 4
Opt 7 x 100
Non

Opt Pli en C
Non
Non
3,08 kWh
1750 W
990 W
60 W
0,7 W
no information
no information